



## Decking

Wood is increasingly used for flooring exterior surfaces, such as terraces, balconies, yards, swimming pools. There are several wood species, suitable for exterior use. They all have one important common characteristic; that is durability irrespective of weather conditions, without use of any impregnations. With the years natural colour of wood turns into silver. This appearance can be slowed down with the use of natural oils, such as teak oil and bengkirai oil. From the ecological point of view, Outdoor wooden decking is a 100% irreproachable product.


Robust structure of the wood makes this flooring resistant to rot, insects and mould without use of harmful chemicals. It is also naturally resistant to fire. Without special maintenance this flooring has more than a 10-years durability. The colour of the wood acquires a nice silver patina if exposed to the sun. Natural colour can be preserved with the use of impregnation oils.



**LAPACHO/IPE**  
2100-5700 x 100, 145 x 20, 21 mm



**MERBAU**  
1800-5700 x 140 x 19 mm



**BENKIRAI**  
1500-5000 x 90, 125 x 19, 25 mm



**TEAK**  
2000-2400 x 100 x 20 mm



**CUMARU**  
1900 x 2200 x 105 x 19 mm



**MASARANDUBA**  
2000-6100 x 90 x 19 mm

## Wooden decking elements

Wood, extremely moisture resistant, suitable for terraces, saunas, swimming pools...





**SIBERIAN LARCH SHP**  
about 4000 x 90/115/140 x 20/27 mm




**THERMO ASH 1x antislip**  
about 4000 x 92/112/132 x 20 mm



**MACESEN SIBIRSKI 1x antislip**  
about 4000 x 90/115/140 x 26 mm



**THERMO PINE/SPRUCE H deck**  
about 4000 x 90/140/165/190 x 26/30/40 mm



**THERMO ASH**  
about 4000 x 90/120/145 x 20/27 mm



**THERMO ASH**  
about 4000 x 92 x 20 mm